

VONDSTNR	PUTNR	VLAKNR	SPOORNR	VULLINGNR	INHOUD	VERZAMEL	X	Y	Z	OPMERKING
1	8	1	11	1	AWG	AANV	73764,62	225260,29	3,01	
2	9	1	16	1	AWG	AANV	73774,99	225247,59	3,06	
3	9	1	17	1	AWG	AANV	73781,9	225253,61	3,08	
4	10	1	19	1	AWG	AANV	73750,85	225204,16	3,08	
5	11	1	43	1	AWG	AANV	73814,13	225244,01	2,93	
6	17	1	69	1	AWG	AANV	73966,38	225192,69	3,06	
7	17	1	74	1	AWG	AANV	73979,64	225183,21	2,8	
8	17	1	76	1	AWG	AANV	73981,18	225183,07	2,79	
9	18	1	78	1	ODB	AANV	73911,72	225215,15	2,92	
10	18	1	78	1	AWG	AANV	73911,79	225215,22	2,91	
10	18	1	78	1	AWG	AANV	73911,79	225215,22	2,91	
10	18	1	78	1	AWG	AANV	73911,79	225215,22	2,91	
11	18	1	78	1	MXX	AANV	73911,76	225215,21	2,91	
12	18	1	5000	1	ODB	AANV	73928,91	225203,46	3	
13	18	1	79	1	AWG	AANV	73928,95	225202,49	2,96	
13	18	1	79	1	AWG	AANV	73928,95	225202,49	2,96	
14	18	1	5000	1	AWG	AANV	73963,39	225176,06	3	
15	24	1	79	1	AWG	AANV	73868,4	225135,58	2,91	
16	40	1	96	1	AWG	AANV	73508,25	225506,71	2,51	
17	40	1	98	3	AWG	PRO	73525,59	225506,52	1,66	
18	40	1	98	3	ODL	PRO	73525,59	225506,53	1,66	
19	40	1	98	3	ODB	PRO	73525,57	225506,51	1,66	
20	40	1	98	2	BOUWMAT	PRO	73525,73	225506,51	2,06	
21	40	1	98	3	AWG	PRO	73525,58	225506,53	1,66	
21	40	1	98	3	AWG	PRO	73525,58	225506,53	1,66	
22	40	1	98	2	AWG	PRO	73525,74	225506,51	2,06	

VONDSTNR	PUTNR	VLAKNR	SPOORN	VULLINGNR	INHOUD	VERZAMEL	X	Y	Z	OPMERKING
23	40	1	98	2	AWG	PRO	73525,71	225506,5	2,06	
24	41	1	104	1	ODB	AANV	73506,49	225522,41	2,08	
25	41	1	104	1	MXX	AANV	73507,06	225522,5	2,03	
26	41	1	104	1	GLS	AANV	73507,36	225522,27	2,04	
27	41	1	104	1	AWG	AANV	73507,1	225521,9	2,04	
27	41	1	104	1	AWG	AANV	73507,1	225521,9	2,04	
27	41	1	104	1	AWG	AANV	73507,1	225521,9	2,04	
27	41	1	104	1	AWG	AANV	73507,1	225521,9	2,04	
28	41	1	1000	1	AWG	AANV	73506,63	225522,85	2,08	
29	41	1	105	1	AWG	AANV	73542,9	225520,28	2,43	
30	44	1	120	1	AWG	AANV	73508,16	225565,74	2,46	
31	49	2	138	1	AWG	AANV	73513,9	225641,84	2,38	
32	70	1	156	1	AWG	AANV	73821,57	225408,05	2,71	
32	70	1	156	1	AWG	AANV	73821,57	225408,05	2,71	
33	70	1	156	1	BOUWMAT	AANV	73821,77	225408,11	2,74	
34	70	1	156	1	MXX	AANV	73821,73	225408,06	2,71	
35	70	1	156	1	ODB	AANV	73821,64	225408,01	2,68	
36	71	1	157	1	ODB	AANV	73838,04	225333,35	2,68	
37	71	1	153	1	BAKSTN	AANV	73835,94	225416,78	2,81	
38	71	1	153	1	AWG	AANV	73835,94	225416,79	2,81	
38	71	1	153	1	AWG	AANV	73835,94	225416,79	2,81	
39	71	1	159	1	AWG	AANV	73835,49	225431,65	2,92	
40	73	1	164	1	AWG	AANV	73867,29	225411,92	2,46	
40	73	1	164	1	AWG	AANV	73867,29	225411,92	2,46	
40	73	1	164	1	AWG	AANV	73867,29	225411,92	2,46	
40	73	1	164	1	AWG	AANV	73867,29	225411,92	2,46	

VONDSTNR	PUTNR	VLAKNR	SPOORN	VULLINGNR	INHOUD	VERZAMEL	X	Y	Z	OPMERKING
41	73	1	164	1	MXX	AANV	73866,98	225411,76	2,46	
42	73	1	164	1	BOUWMAT	AANV	73866,75	225411,89	2,45	
43	76	1	10044	1	AWG	AANV	73908,8	225399,17	2,55	KV
44	75	1	10044	1	AWG	COUP	73897,69	225391,68	2,5	
45	70	1	5000	1	AWG	AANV	73822,99	225403,4	2,61	
46	70	1	156	1	AWG	COUP	73821,58	225408,56	2,33	
47	70	1	154	1	AWG	COUP	73820,85	225398,95	2,21	
47	70	1	154	1	AWG	COUP	73820,85	225398,95	2,21	
48	91	0	2000	1	MXX	AANV	74149,21	225533,87	2,2	
49	98	1	247	1	AW	AANV	73439,56	225443,41	2,84	
50	120	1	275	1	ODB	AANV	73224,34	225385,11	3,05	VERBRAND BOT
51	120	1	276	1	HUTTELM	AANV	73220,96	225384	3,1	VL
52	120	1	276	1	MXX	AANV	73221	225384,4	3,11	
53	120	1	276	1	AWG	AANV	73221,28	225384,09	3,11	
54	120	1	277	1	ODB	AANV	73216,02	225382,43	3,14	
55	120	1	276	1	ODB	AANV	73221,46	225384,25	3,06	VERBRAND BOT
56	120	1	275	1	AWG	AANV	73223,36	225384,86	3,03	
57	121	1	274	1	AWG	AANV	73231,75	225406	2,89	
58	73	1	164	1	AWG	COUP	0	0	0	
59	118	1	5000	1	AWG	AANV	73195,41	225375,84	2,93	
60	118	1	5000	1	AWH	AANV	73201,8	225355,58	2,91	
61	123	1	274	1	AWG	AANV	73259,35	225416,37	2,94	
62	124	1	5000	1	AWH	AANV	73301,47	225348,3	2,71	
63	126	1	5000	1	AWH	AANV	73323,77	225369,8	2,58	
64	111	1	5000	1	SXX	AANV	73485,71	225279,91	2,51	
65	111	1	5000	1	SXX	AANV	73437,12	225250,58	2,71	

VONDSTNR	PUTNR	VLAKNR	SPOORNR	VULLINGNR	INHOUD	VERZAMEL	X	Y	Z	OPMERKING
66	111	1	5000	1	AWH	AANV	73277,18	225155,46	2,99	
67	111	1	5000	1	ODB	AANV	73270,67	225151,47	2,91	
68	111	1	5000	1	ODB	AANV	73271,79	225152,62	2,91	
69	126	1	5000	1	AWH	AANV	0	0	0	
70	109	1	5000	1	AWH	AANV	73329,23	225221,38	2,87	
71	109	1	5000	1	AWH	AANV	73340,46	225227,3	2,83	
72	109	1	5000	1	AW	AANV	73355,86	225237,91	2,77	
73	109	1	5000	1	AWH	AANV	73377,83	225250,73	2,84	
74	109	1	308	1	AWG	AANV	73382,07	225252,26	2,82	
75	109	1	308	1	AWG	AANV	73382,45	225252,55	2,81	
76	109	1	309	1	ODB	AANV	73437,89	225285,73	2,77	
77	123	1	5000	1	AWH	AANV	73269,46	225388,14	2,72	
78	108	1	5000	1	SXX	AANV	73331,98	225240,06	2,78	
79	108	1	5000	1	SXX	AANV	73338,24	225245,16	2,86	
80	108	1	5000	1	AW	AANV	73395,23	225278,12	2,68	
81	108	1	5000	1	AWH	AANV	73420,86	225293,38	2,49	
82	108	1	5000	1	AW	AANV	73425,36	225296,35	2,41	
83	108	1	5000	1	AWH	AANV	73447,86	225310,57	2,45	
84	108	1	317	1	AWG	AANV	73649,87	225430,31	2,67	
85	107	1	5000	1	AWH	AANV	73268,6	225220,67	2,97	
86	107	1	5000	1	ODB	AANV	73268,32	225220,83	2,97	
87	107	1	5000	1	AWH	AANV	73288,03	225231,79	3,03	
88	106	1	5000	1	AWH	AANV	73244,42	225223,29	2,89	
89	105	1	5000	1	ODB	AANV	73243,04	225239,45	2,88	
90	105	1	5000	1	HUTTELM	AANV	73370,33	225315,35	2,7	VL
91	105	1	5000	1	AWH	AANV	73357,54	225308,34	2,72	

VONDSTNR	PUTNR	VLAKNR	SPOORNR	VULLINGNR	INHOUD	VERZAMEL	X	Y	Z	OPMERKING
92	105	1	5000	1	MXX	AANV	73371,53	225316,19	2,69	
93	105	1	5000	1	HUTTELM	AANV	73370,03	225314,82	2,73	VL
94	105	1	5002	3	ODB	AANV	73365,54	225313,18	2,62	
95	109	1	5000	1	AWH	AANV	73269,44	225185,16	2,96	
96	109	1	5000	1	HUTTELM	AANV	73380,76	225251,76	2,84	
97	110	1	5000	1	SXX	AANV	73273,98	225170,58	2,98	
98	111	1	5000	1	ODB	AANV	73271,69	225152,38	2,92	
99	110	1	5000	1	AWH	AANV	73301,18	225186,92	2,93	
100	110	1	5000	1	AWH	AANV	73307,87	225191,62	2,86	
101	110	1	5000	1	SXX	AANV	73396,73	225244,01	2,78	
102	110	1	345	1	AWH	AANV	73398,82	225245	2,47	
103	110	1	345	1	SXX	AANV	73398,54	225245,27	2,48	
104	110	1	5000	1	AWH	AANV	73461,62	225283,07	2,34	
105	110	1	5000	1	ODB	AANV	73463,53	225284,08	2,3	
106	110	1	5000	1	SXX	AANV	73471,17	225289,12	2,61	
107	110	1	5000	1	ODB	AANV	73472,66	225289,7	2,58	
108	104	1	5000	1	AWG	AANV	73305,42	225293,72	2,66	
109	104	1	5000	1	AWG	AANV	73397,58	225348,93	2,39	
109	104	1	5000	1	AWH	AANV	73397,58	225348,93	2,39	
110	102	1	354	1	AWH	AANV	73228,03	225284,64	2,65	
111	126	1	5000	1	AWH	AANV	73331,53	225366,09	2,72	KV01
112	126	1	5000	1	SXX	AANV	73329,03	225365,85	2,79	KV01
113	126	1	5000	1	AWH	AANV	73328,11	225371,15	2,75	KV01
114	126	1	5000	1	SXX	AANV	73328,79	225372,27	2,75	KV01
115	126	1	5000	1	AWH	AANV	73330,89	225344,9	2,66	KV02
117	126	1	290	1	AWH	AANV	73331,51	225341,95	2,59	KV02

VONDSTNR	PUTNR	VLAKNR	SPOORNR	VULLINGNR	INHOUD	VERZAMEL	X	Y	Z	OPMERKING
118	126	1	5002	2	AWH	AANV	73334,06	225336,76	2,65	KV02
119	126	1	5000	1	AW	AANV	73339,46	225334,28	2,62	KV02
120	124	1	5000	1	AWH	AANV	73302,68	225344,31	2,68	KV03
121	124	1	5000	1	AWH	AANV	73297,71	225351,39	2,89	KV03
122	124	1	5000	1	AWH	AANV	73298,79	225347,47	2,84	KV03
123	124	1	5000	1	AWH	AANV	73297,75	225341,99	2,83	KV03
124	123	1	5000	1	AW	AANV	73271,46	225395,58	2,58	KV04
125	123	1	5000	1	ODB	AANV	73270,96	225393,22	2,61	KV04
126	123	1	5000	1	AWH	AANV	73273,89	225379,12	2,54	KV04
127	123	1	5000	1	AW	AANV	73265,17	225392,8	2,48	KV04
128	123	1	5000	1	AWH	AANV	73271,87	225382,47	2,69	KV04
129	120	1	276	1	AWG	AANV	73221,11	225384,08	3,1	KV05
130	120	1	276	1	AWG	AANV	73222,61	225385	3,04	KV05
131	120	1	275	1	AWG	AANV	73225,87	225385,57	3,11	KV05
131	120	1	275	1	AWG	AANV	73225,87	225385,57	3,11	KV05
132	120	1	5000	1	AWG	AANV	73225,03	225383,31	2,98	KV05
133	120	1	373	1	AWG	AANV	73217,45	225388,74	3,07	KV05
134	120	1	373	1	AWG	AANV	73216,65	225387,91	3,06	KV05
135	120	1	373	1	AWG	AANV	73215,45	225389,38	2,97	KV05
136	120	1	5000	1	AWG	AANV	73235,39	225380,42	2,87	KV05
137	119	1	272	1	MXX	AANV	73207,76	225377,62	3,07	KV05
138	120	1	5000	1	AWH	AANV	73203,65	225370,55	2,9	KV05
139	104	1	5000	1	AWH	AANV	73249,46	225260,72	2,9	
140	109	1	5000	1	AWH	AANV	73383,36	225255,68	2,78	KV07
141	109	1	5000	1	AWG	AANV	73378,5	225254,22	2,82	KV07
142	109	1	376	1	MXX	AANV	73376,79	225256,9	3,14	KV07

VONDSTNR	PUTNR	VLAKNR	SPOORNR	VULLINGNR	INHOUD	VERZAMEL	X	Y	Z	OPMERKING
143	109	1	377	1	AWG	AANV	73377,29	225258,76	3,22	KV07
144	109	1	377	1	ODB	AANV	73376,7	225259,56	3,16	KV07
145	109	1	308	1	AWH	AANV	73382,42	225251,53	2,97	KV07
146	139	1	394	1	AWG	AANV	74420,17	224827,36	2,81	
147	139	1	394	1	ODB	AANV	74420	224828,42	2,86	
148	142	1	394	1	AWG	AANV	74423,51	224781,85	2,57	
149	142	1	406	1	AWG	AANV	74544,39	224781,41	2,6	
150	144	1	409	1	AWG	AANV	74519,79	224750,41	2,9	
151	145	1	411	1	AWG	AANV	74359,33	224738,13	2,52	
152	146	1	395	1	AWG	AANV	0	0	0	
153	159	1	431	1	AWG	AANV	74161,45	225270,66	2,9	
154	159	1	432	1	AWG	AANV	74165,57	225269,76	2,89	
155	159	1	432	1	SXX	AANV	74166,26	225269,3	2,86	MAALSTEEN
156	159	1	430	1	AWG	AANV	74195,75	225246,91	2,97	
157	160	1	433	2	AWG	AANV	74138,06	225269,91	2,91	
158	160	1	434	1	AWG	AANV	74160,06	225254,43	2,8	
158	160	1	434	1	AWG	AANV	74160,06	225254,43	2,8	
159	162	1	436	1	AWG	AANV	74148,67	225225,24	2,84	
160	163	1	436	1	AWG	AANV	74141,34	225212,43	3,05	
161	167	1	441	1	AWG	AANV	74058,14	225198,82	2,93	
162	168	1	445	1	AWG	AANV	74030,5	225201,38	2,8	
162	168	1	445	1	AWG	AANV	74030,5	225201,38	2,8	
163	168	1	445	1	ODB	AANV	74032,27	225200,47	2,66	
164	168	1	445	1	AWG	AANV	74032,14	225204,89	2,82	
165	168	1	445	1	AWG	AANV	74035,61	225203,14	2,72	
166	168	1	446	1	AWG	AANV	74036,34	225201,7	2,72	

VONDSTNR	PUTNR	VLAKNR	SPOORNR	VULLINGNR	INHOUD	VERZAMEL	X	Y	Z	OPMERKING
167	168	1	447	1	AWG	AANV	74038,51	225200,36	2,76	
168	168	1	445	1	MXX	AANV	74036,76	225202,49	2,72	
169	168	1	448	1	AWG	AANV	74040,29	225198,59	2,73	
169	168	1	448	1	AWG	AANV	74040,29	225198,59	2,73	
170	168	1	450	1	AWG	AANV	74036,52	225196,17	2,76	
171	168	1	452	1	AWG	AANV	74035,99	225192,52	2,77	
172	168	1	441	1	AWG	AANV	74046,16	225188,79	2,8	
173	168	1	445	1	AWG	AANV	74048,7	225195,8	2,69	
174	168	0	455	1	AWG	AANV	74055,61	225193,51	3,26	
174	168	0	455	1	AWG	AANV	74055,61	225193,51	3,26	
175	168	0	455	1	MXX	AANV	74055,62	225193,53	3,25	
176	168	1	457	1	ODB	AANV	74128,61	225128,43	2,96	
177	171	1	463	1	AWG	AANV	74161	225435,45	2,89	
177	171	1	463	1	AWG	AANV	74161	225435,45	2,89	
178	178	1	462	1	AWG	AANV	74264,71	225314,65	2,79	
179	179	1	483	1	AWG	AANV	74095,05	225322,3	2,92	
180	169	1	459	1	AWG	AANV	0	0	0	
181	188	1	498	1	AWG	AANV	73546,75	225141,58	2,9	
182	196	1	513	1	AWG	AANV	73696,19	225115,07	2,8	
183	168	0	455	3	AWG	AANV	74056,91	225195,5	3,19	
184	168	0	2000	1	AWG	AANV	74054,18	225195,12	3,25	
185	168	0	2000	1	AWG	AANV	74054,5	225192,53	3,19	
186	168	0	2000	1	MXX	AANV	74052,82	225181,03	3,32	MUNT
10001	27	1	10004	1	ODB	AANV	73853,76	225090,82	2,88	
10002	28	1	10004	1	AWG	AANV	73840,48	225082,12	2,91	
10003	29	1	10009	1	SXX	AANV	73791,67	225099,92	2,59	

VONDSTNR	PUTNR	VLAKNR	SPOORN	VULLINGNR	INHOUD	VERZAMEL	X	Y	Z	OPMERKING
10004	29	1	10009	1	BOUWMAT	AANV	73792,92	225098,83	2,69	
10005	29	1	10009	1	BOUWMAT	AANV	73798,89	225094,44	2,66	
10006	29	1	10009	1	ODB	AANV	73804,05	225090,2	2,69	
10007	29	1	10009	1	AWG	AANV	73805,02	225089,4	2,64	
10008	29	0	1000	1	AWG	AANV	73815,6	225081,37	2,93	
10009	29	1	10009	1	ODB	AANV	73815,02	225082,03	2,44	
10010	29	0	1000	1	ODB	AANV	73846,09	225058,98	2,82	
10011	31	1	10013	1	MXX	AANV	73796,08	225058,24	3,03	
10012	31	1	10013	1	BOUWMAT	AANV	73785,59	225066,28	2,97	
10013	32	1	10017	1	AWG	AANV	73832,36	225013,02	2,95	
10014	33	1	10020	1	ODB	AANV	73818,63	225003,12	2,76	
10015	33	1	10020	1	BOUWMAT	AANV	73820,55	225001,59	2,77	
10016	32	1	10016	1	ODB	AANV	73823,36	225010,51	2,9	KV10001
10017	37	1	10022	1	AWG	AANV	73729,14	224995,98	2,8	
10018	37	1	10032	1	AWG	AANV	73732,02	224994,51	2,88	
10019	37	1	10032	1	AWG	AANV	73743,19	224986,3	2,97	
10020	38	1	10030	1	AWG	AANV	73707,2	224994,51	2,99	
10021	79	1	10039	1	AWG	AANV	73954,2	225494,64	2,98	
10022	76	1	1000	1	MXX	AANV	73910,27	225432,13	2,7	AP2
10023	85	1	10057	1	BAKSTN	AANV	74061,55	225435,79	2,67	