

Boring 2025G69_1

Kopgegevens 2025G69_1

KPC	KBN	KBS	KDT	KDB	KWO	KLK	KBT	KED	KGW	KXC	KYC	KPL	KCS	KMV	KPZ	KRV	KBM	KPV	KGM	KUV	KOM
2025G69	1	AA	16-07-2025	LB	Z	GR	H	220		46452.243	173365.367	3	31370	16.82	3	TAW	MDGP	BWV	Ieper	BAAC Vlaanderen	

Laaggegevens 2025G69_1

[illegible]

Boring 2025G69_2

Kopgegevens 2025G69_2

KPC	KBN	KBS	KDT	KDB	KWO	KL	KBT	KED	KGW	KXC	KYC	KPL	KCS	KMV	KPZ	KRV	KBM	KPV	KGM	KUV	KOM
2025G69	2	AA	16-07-2025	LB	Z	GR	H	200		46426.094	173370.036	3	31370	16.64	3	TAW	MDGP	BWV	Ieper	BAAC Vlaanderen	

Laaggegevens 2025G69_2

GBG	GAB	GOG	GAO	GRM	GBT	GKL	GKM	GVO	LTK	LZT	LZS	BBB	LSL1	LSL2	LVS	LLT	BBH	BBI	LTB	LGK	LGB	LBH	LPR	LBG	LSR	LCA	BFM	BOR	BBR	BBV	AHK	ARL	AAW	AOB	AVB	AVS	APA	APO	AFO	AOV1	AOV2	AOV3	AAI	LOM	
0		25	SA		E7	DBRDGR		D	L	Z2	SMK						Ap	BV					WO3		1											2									
25	SA	105	SA	R	E7	ORLBR		D	Le	Z3	SMK						Ap						WO2	g1	1	FE1										2									
105	SA	120	DU	R	E7	ORGR		D	Le	Z3	SMK						Ap						WO1		1	FM1	OR									1									baksteenspikkel
120	DU	200		R	E7	ORLGR		D	Ez	Z3	SMG						Cg						WO2		1	FE2	OR									2									LTK=Ez -> Se -> E; baksteenspikkels. Alluvium?

Boring 2025G69_3

Kopgegevens 2025G69_3

KPC	KBN	KBS	KDT	KDB	KWO	KL	KBT	KED	KGW	KXC	KYC	KPL	KCS	KMV	KPZ	KRV	KBM	KPV	KGM	KUV	KOM
2025G69	3	AA	16-07-2025	LB	Z	GR	H	200		46393.516	173379.505	3	31370	16.82	3	TAW	MDGP	BWW	Ieper	BAAC Vlaanderen	boring ca. 5m in westelijke richting verplaatst wegens pompgebouw

Laaggegevens 2025G69_3

[illegible]

Boring 2025G69_4

Kopgegevens 2025G69_4

KPC	KBN	KBS	KDT	KDB	KWO	KLK	KBT	KED	KGW	KXC	KYC	KPL	KCS	KMV	KPZ	KRV	KBM	KPV	KGM	KUV	KOM
2025G69	4	AA	16-07-2025	LB	Z	GR	H	200		46368.503	173391.827	3	31370	16.79	3	TAW	MDGP	BWV	Ieper	BAAC	Vlaanderen

Laaggegevens 2025G69_4

[illegible]

Boring 2025G69_5

Kopgegevens 2025G69_5

KPC	KBN	KBS	KDT	KDB	KWO	KL	KBT	KED	KGW	KXC	KYC	KPL	KCS	KMV	KPZ	KRV	KBM	KPV	KGM	KUV	KOM
2025G69	5	AA	16-07-2025	LB	Z	GR	H	200		46347.417	173404.453	3	31370	16.92	3	TAW	MDGP	BWV	Ieper	BAAC	Vlaanderen

Laaggegevens 2025G69_5

[illegible]

Boring 2025G69_9

Kopgegevens 2025G69_9

KPC	KBN	KBS	KDT	KDB	KWO	KLG	KBT	KED	KGW	KXC	KYC	KPL	KCS	KMV	KPZ	KRV	KBM	KPV	KGM	KUV	KOM
2025G69	9	AA	16-07-2025	LB	Z	GR	H	200		46217.794	173490.687	3	31370	17.83	3	TAW	MDGP	BWV	Ieper	BAAC Vlaanderen	

Laaggegevens 2025G69_9

[illegible]

Boring 2025G69_10

Kopgegevens 2025G69_10

KPC	KBN	KBS	KDT	KDB	KWO	KLK	KBT	KED	KGW	KXC	KYC	KPL	KCS	KMV	KPZ	KRV	KBM	KPV	KGM	KUV	KOM
2025G69	10	AA	16-07-2025	LB	Z	GR	H	185		46267.642	173478.992	3	31370	17.67	3	TAW	MDGP	BWV	Ieper	BAAC Vlaanderen	

Laaggegevens 2025G69_10

Borgje 2023-09-10																																												
GAB	GOG	GAO	GRM	GBT	GKL	GKM	GVO	LTK	LZT	LZS	BBB	LSL1	LSL2	LVS	LLI	BBH	BBI	LTB	LGK	LGB	LBH	LPR	LBG	LSR	LCA	BFM	BOR	BBR	BBV	AHK	ARL	AAW	AOB	AVB	AVS	APA	APO	AFO	AOV1	AOV2	AOV3	AAI	LOM	
0		110	SA	E7	DGRBR		D	L	Z3	SMK						Ap	XX								1	FE1	OR									2							Ap -> XX; LTK=L -> Le (vanaf ca. 90cm - mv)	
110	SA	170	SA	R	E7	ORGE	D	L	Z3	SMK						Cg									1	FM2	OR																FE3 ad basis	
170	SA	185		R	E7	ORDGR	D	E								Cg									1	FE2	OR																	Herwerkt tertiair

Boring 2025G69_11

Kopgegevens 2025G69_11

KPC	KBN	KBS	KDT	KDB	KWO	KLK	KBT	KED	KGW	KXC	KYC	KPL	KCS	KMV	KPZ	KRV	KBM	KPV	KGM	KUV	KOM
2025G69	11	AA	16-07-2025	LB	Z	GR	H	200		46261.105	173494.557	3	31370	18.1	3	TAW	MDGP	BWV	Ieper	BAAC Vlaanderen	

Laaggegevens 2025G69_11

[illegible]

Boring 2025G69_12

Kopgegevens 2025G69_12

KPC	KBN	KBS	KDT	KDB	KWO	KLK	KBT	KED	KGW	KXC	KYC	KPL	KCS	KMV	KPZ	KRV	KBM	KPV	KGM	KUV	KOM
2025G69	12	AA	16-07-2025	LB	Z	GR	H	200		46251.803	173514.349	3	31370	18.41	3	TAW	MDGP	BWV	Ieper	BAAC	Vlaanderen

Laaggegevens 2025G69_12

[illegible]

Boring 2025G69_13

Kopgegevens 2025G69_13

KPC	KBN	KBS	KDT	KDB	KWO	KL	KBT	KED	KGW	KXC	KYC	KPL	KCS	KMV	KPZ	KRV	KBM	KPV	KGM	KUV	KOM
2025G69	13	AA	16-07-2025	LB	Z	GR	H	200		46242.738	173537.516	3	31370	19.03	3	TAW	MDGP	BWV	Ieper	BAAC Vlaanderen	

Laaggegevens 2025G69_13

GBG	GAB	GOG	GAO	GRM	GBT	GKL	GKM	GVO	LTK	LZT	LZS	BBB	LSL1	LSL2	LVS	LLI	BBH	BBI	LTB	LGK	LGB	LBH	LPR	LBG	LSR	LCA	BFM	BOR	BBR	BBV	AHK	ARL	AAW	AOB	AVB	AVS	APA	APO	AFO	AOV1	AOV2	AOV3	AAI	LOM	
0		40	SA		E7	BR		D	L	Z3	SMK						Ap	BV							1												2								
40	SA	100	SA	R	E7	DGE		D	L	Z3	SMK						C/A	XP							1	FE2											2								Fe2 ad basis; baksteenspikkels
100	SA	200		R	E7	ORGR		D	Le	Z3	SMK						Cg								1	FM2	OR	MGR																	Le -> E; BBR=MGR -> OGR

Boring 2025G69 14

Kopgegevens 2025G69_14

KPC	KBN	KBS	KDT	KDB	KWO	KLG	KBT	KED	KGW	KXC	KYC	KPL	KCS	KMV	KPZ	KRV	KBM	KPV	KGM	KUV	KOM
2025G69	14	AA	16-07-2025	LB	Z	GR	H	200		46235.404	173558.577	3	31370	19.31	3	TAW	MDGP	BWV	Ieper	BAAC Vlaanderen	

Laaggegevens 2025G69_14

	GAB	GOG	GAO	GRM	GBT	GKL		GKM	GVO	LTK	LZT	LZS	BBB	LSL1	LSL2	LVS	LLI	BBH	BBI	LTB	LGK	LGB	LBH	LPR	LBG	LSR	LCA	BFM	BOR	BBR	BBV	AHK	ARL	AAW	AOB	AVB	AVS	APA	APO	AFO	AOV1	AOV2	AOV3	AAI	LOM		
0		40	SA		E7	BR		D	L	Z3	SMK							Ap	BV							1											2										
40	SA	100	GE	R	E7	LGRDGE		D	L	Z3	SMK							Ap	XX									FM2	OR								3									Baksteenfragmenten	
100	GE	140	SA	R	E7	LGRDGE		D	L	Z3	SMK							Cg								1	FM2	OR								1										C/A?	
140	SA	170	SA	R	E7	DGE		D	P	Z3	SMK							Cg								1	FE3	OR																		Baksteenspikkels	
170	SA	200		R	E7	BRGN		D	Ez	Z3	SMK							Cg								1	FE1	OR									1										Herwerkt tertiair? Baksteenspijkel

Boring 2025G69_15

Kopgegevens 2025G69_15

KPC	KBN	KBS	KDT	KDB	KWO	KLK	KBT	KED	KGW	KXC	KYC	KPL	KCS	KMV	KPZ	KRV	KBM	KPV	KGM	KUV	KOM
2025G69	15	AA	16-07-2025	LB	Z	GR	H	130		46219.006	173602.804	3	31370	20.18	3	TAW	MDGP	BWV	Ieper	BAAC Vlaanderen	

Laaggegevens 2025G69_15

[illegible]

Boring 2025G69_16

Kopgegevens 2025G69_16

KPC	KBN	KBS	KDT	KDB	KWO	KLK	KBT	KED	KGW	KXC	KYC	KPL	KCS	KMV	KPZ	KRV	KBM	KPV	KGM	KUV	KOM
2025G69	16	CD	16-07-2025	LB	H	GR	H	120		46267.974	173592.697	3	31370	19.74	3	TAW	MDGP	BWV	Ieper	BAAC Vlaanderen	

Laaggegevens 2025G69_16

GBG	GAB	GOG	GAO	GRM	GBT	GKL	GKM	GVO	LTK	LZT	LZS	BBB	LSL1	LSL2	LVS	LLI	BBH	BBT	LTB	LGK	LGB	LBH	LPR	LBG	LSR	LCA	BFM	BOR	BBR	BBV	AHK	ARL	AAW	AOB	AVB	AVS	APA	APO	AFO	AOV1	AOV2	AOV3	AAI	LOM		
0		25	SA		E7	DBRGR		D	L	Z3	SMK						Ap	BV				h1	WO2			1																				kleine BS1
25	SA	75	SA	R	E7	BRGR		D	L	Z3	SMK						Ac					h1			1																					kleine BS fragmenten
75	SA	120		R	E7	LORLGR		D	L	Z3	SMK						Cg								1	FE2	OR																			naar onderen P- textuur

Boring 2025G69_17

Kopgegevens 2025G69_17

KPC	KBN	KBS	KDT	KDB	KWO	KL	KBT	KED	KGW	KXC	KYC	KPL	KCS	KMV	KPZ	KRV	KBM	KPV	KGM	KUV	KOM
2025G69	17	CD	16-07-2025	LB	H	GR	H	120		46284.372	173548.469	3	31370	19.32	3	TAW	MDGP	BWV	Ieper	BAAC	Vlaanderen

Laaggegevens 2025G69_17

[illegible]

Boring 2025G69_18

Kopgegevens 2025G69_18

KPC	KBN	KBS	KDT	KDB	KWO	KLK	KBT	KED	KGW	KXC	KYC	KPL	KCS	KMV	KPZ	KRV	KBM	KPV	KGM	KUV	KOM
2025G69	18	CD	16-07-2025	LB	H	GR	H	120		46309.045	173572.382	3	31370	20.24	3	TAW	MDGP	BWV	Ieper	BAAC Vlaanderen	

Laaggegevens 2025G69_18

[illegible]

Boring 2025G69_19

Kopgegevens 2025G69_19

KPC	KBN	KBS	KDT	KDB	KWO	KL	KBT	KED	KGW	KXC	KYC	KPL	KCS	KMV	KPZ	KRV	KBM	KPV	KGM	KUV	KOM
2025G69	19	CD	16-07-2025	LB	H	GR	H	120		46363.954	173566.059	3	31370	20.29	3	TAW	MDGP	BWV	Ieper	BAAC Vlaanderen	

Laaggegevens 2025G69_19

GBG	GAB	GOG	GAO	GRM	GBT	GKL	GKM	GVO	LTK	LZT	LZS	BBB	LSL1	LSL2	LVS	LLI	BBH	BBT	LTB	LGK	LGB	LBH	LPR	LBG	LSR	LCA	BFM	BOR	BBR	BBV	AHK	ARL	AAW	AOB	AVB	AVS	APA	APO	AFO	AOV1	AOV2	AOV3	AAI	LOM	
0		35	DU		E7	DBRGR		D	L	Z2	SMK						Ap	BV				h1	WO1			1												1							puingrind klein enkel, enkel BS fragmentjes
35	DU	120		R	E7	DGE		D	L	Z3	SMK						Cg									1	FE1	OR																	licht glauconiethoudend

Boring 2025G69_20

Kopgegevens 2025G69_20

KPC	KBN	KBS	KDT	KDB	KWO	KLK	KBT	KED	KGW	KXC	KYC	KPL	KCS	KMV	KPZ	KRV	KBM	KPV	KGM	KUV	KOM
2025G69	20	CD	16-07-2025	LB	H	GR	H	120		46347.172	173501.821	3	31370	19.12	3	TAW	MDGP	BWV	Ieper	BAAC Vlaanderen	

Laaggegevens 2025G69_20

GAB	GAB	GOG	GAO	GRM	GBT	GKL	GKM	GVO	LTK	LZT	LZS	BBB	LSL1	LSL2	LVS	LLT	BBH	BBI	LTB	LGK	LGB	LBH	LPR	LBG	LSR	LCA	BFM	BOR	BBR	BBV	AHK	ARL	AAW	AOB	AVB	AVS	APA	APO	AFO	AOV1	AOV2	AOV3	AAI	LOM
0		30	SA		E7	DBRGR		D	L	Z2	SMK						Ap	BV				h1	WO2			1											1							BS1 klein
30	SA	80	SA	R	E7	LBR		D	L	Z3	SMK						Ac								1											1								BS klein, vochtig vanaf 60 cm
80	SA	120		R	E7	GELOR		D	L	Z3	SMK						Cg								1	FE2	OR																	licht glauconiethoudend

Boring 2025G69_21

Kopgegevens 2025G69_21

KPC	KBN	KBS	KDT	KDB	KWO	KL	KBT	KED	KGW	KXC	KYC	KPL	KCS	KMV	KPZ	KRV	KBM	KPV	KGM	KUV	KOM
2025G69	21	CD	16-07-2025	LB	H	GR	H	120		46407.618	173489.602	3	31370	18.76	3	TAW	MDGP	BWV	Ieper	BAAC	Vlaanderen

Laaggegevens 2025G69_21

[illegible]

Boring 2025G69_22

Kopgegevens 2025G69_22

KPC	KBN	KBS	KDT	KDB	KWO	KL	KBT	KED	KGW	KXC	KYC	KPL	KCS	KMV	KPZ	KRV	KBM	KPV	KGM	KUV	KOM
2025G69	22	CD	16-07-2025	LB	H	GR	H	100		46432.32	173521.64	3	3	31370	19.3	3	TAW	MDGP	BWV	Ieper	BAAC Vlaanderen

Laaggegevens 2025G69_22

[illegible]

Boring 2025G69_23

Kopgegevens 2025G69_23

KPC	KBN	KBS	KDT	KDB	KWO	KLK	KBT	KED	KGW	KXC	KYC	KPL	KCS	KMV	KPZ	KRV	KBM	KPV	KGM	KUV	KOM
2025G69	23	CD	16-07-2025	LB	H	GR	H	120		46475.954	173492.314	3	31370	20.34	3	TAW	MDGP	BWV	Ieper	BAAC	Vlaanderen

Laaggegevens 2025G69_23

[illegible]

Boring 2025G69_24

Kopgegevens 2025G69_24

KPC	KBN	KBS	KDT	KDB	KWO	KLK	KBT	KED	KGW	KXC	KYC	KPL	KCS	KMV	KPZ	KRV	KBM	KPV	KGM	KUV	KOF
2025G69	24	CD	16-07-2025	LB	H	GR	H	120		46493.335	173472.766	3	31370	20.2	3	TAW	MDGP	BMW	Ieper	BAAC Vlaanderen	

Laaggegevens 2025G69_24

[illegible]

Boring 2025G69_25

Kopgegevens 2025G69_25

KPC	KBN	KBS	KDT	KDB	KWO	KLK	KBT	KED	KGW	KXC	KYC	KPL	KCS	KMV	KPZ	KRV	KBM	KPV	KGM	KUV	KOM
2025G69	25	CD	16-07-2025	LB	H	GR	H	120		46562.337	173527.412	3	31370	21.55	3	TAW	MDGP	BWV	Ieper	BAAC Vlaanderen	

Laaggegevens 2025G69_25

[illegible]

Boring 2025G69_26

Kopgegevens 2025G69_26

KPC	KBN	KBS	KDT	KDB	KWO	KL	KBT	KED	KGW	KXC	KYC	KPL	KCS	KMV	KPZ	KRV	KBM	KPV	KGM	KUV	KOM
2025G69	26	AA	16-07-2025	LB	Z	GR	H	150		46515.453	173543.858	3	31370	20.84	3	TAW	MDGP	BWV	Ieper	BAAC	Vlaanderen

Laaggegevens 2025G69_26

[illegible]

Boring 2025G69_27

Kopgegevens 2025G69_27

KPC	KBN	KBS	KDT	KDB	KWO	KL	KBT	KED	KGW	KXC	KYC	KPL	KCS	KMV	KPZ	KRV	KBM	KPV	KGM	KUV	KOM
2025G69	27	AA	16-07-2025	LB	Z	GR	H	150		46463.845	173552.268	3	31370	19.9	3	TAW	MDGP	BWV	Ieper	BAAC Vlaanderen	

Laaggegevens 2025G69_27

GBG	GAB	GOG	GAO	GRM	GBT	GKL	GKM	GVO	LTK	LZT	LZS	BBB	LSL1	LSL2	LVS	LLI	BBH	BBI	LTB	L GK	LGB	LBH	LPR	LBG	LSR	LCA	BFM	BOR	BBR	BBV	AHK	ARL	AAW	AOB	AVB	AVS	APA	APO	AFO	AOV1	AOV2	AOV3	AAI	LOM	
0		40	SA		E7	DGR		D	L	Z3	SMK						Ap	BV				h1	WO2														2							Baksteenfragmenten	
40	SA	90	GE	R	E7	LGELBR		D	L	Z3	SMG						Ap2	XX				h1	PR1					FM1									2							Bakstenen	
90	GE	150		R	E7	ORDGE		D	Le	Z3	SMK						Cg											FE2	OR									1							LTK=Le -> E; herwerkt tertiair

Boring 2025G69_28

Kopgegevens 2025G69_28

KPC	KBN	KBS	KDT	KDB	KWO	KLK	KBT	KED	KGW	KXC	KYC	KPL	KCS	KMV	KPZ	KRV	KBM	KPV	KGM	KUV	KOM
2025G69	28	CD	16-07-2025	LB	H	GR	H	120		46552.426	173567.701	3	31370	20.91	3	TAW	MDGP	BWW	Ieper	BAAC Vlaanderen	XX tot in het tertiär

Laaggegevens 2025G69_28

[illegible]

Boring 2025G69_29

Kopgegevens 2025G69_29

KPC	KBN	KBS	KDT	KDB	KWO	KLG	KBT	KED	KGW	KXC	KYC	KPL	KCS	KMV	KPZ	KRV	KBM	KPV	KGM	KUV	KOM
2025G69	29	CD	16-07-2025	LB	H	GR	H	120		46594.351	173566.174	3	31370	21.4	3	TAW	MDGP	BWV	Ieper	BAAC Vlaanderen	

Laaggegevens 2025G69_29

[illegible]

Boring 2025G69_30

Kopgegevens 2025G69_30

KPC	KBN	KBS	KDT	KDB	KWO	KLG	KBT	KED	KGW	KXC	KYC	KPL	KCS	KMV	KPZ	KRV	KBM	KPV	KGM	KUV	KOM
2025G69	30	AA	16-07-2025	LB	Z	GR	H	100		46626.92	173600.295	3	31370	22	3	TAW	MDGP	BWV	Ieper	BAAC	Vlaanderen

Laaggegevens 2025G69_30

[illegible]

Boring 2025G69_31

Kopgegevens 2025G69_31

KPC	KBN	KBS	KDT	KDB	KWO	KL	KBT	KED	KGW	KXC	KYC	KPL	KCS	KMV	KPZ	KRV	KBM	KPV	KGM	KUV	KOM
2025G69	31	AA	16-07-2025	LB	Z	GR	H	100		46659.49	173634.416	3	31370	22.76	3	TAW	MDGP	BWV	Ieper	BAAC Vlaanderen	

Laaggegevens 2025G69_31

GBG	GAB	GOG	GAO	GRM	GBT	GKL	GKM	GVO	LTK	LZT	LZS	BBB	LSL1	LSL2	LVS	LLI	BBH	BBI	LTB	LGK	LGB	LBH	LPR	LBG	LSR	LCA	BFM	BOR	BBR	BBV	AHK	ARL	AAW	AOB	AVB	AVS	APA	APO	AFO	AOV1	AOV2	AOV3	AAI	LOM
0		25	DU		E7	DGR		D	L	Z3	SMK						Ap	BV				h1	WO2														2							Baksteenspikkels
25	DU	100	DU	R	E7	ORDGE		D	L	Z3	SMK						Cg										FE2	O									2							

Boring 2025G69_32

Kopgegevens 2025G69_32

KPC	KBN	KBS	KDT	KDB	KWO	KLK	KBT	KED	KGW	KXC	KYC	KPL	KCS	KMV	KPZ	KRV	KBM	KPV	KGM	KUV	KOM
2025G69	32	AA	16-07-2025	LB	Z	GR	H	120		46634.905	173664.699	3	31370	23.29	3	TAW	MDGP	BWV	Ieper	BAAC	Vlaanderen

Laaggegevens 2025G69_32

[illegible]

Boring 2025G69_33

Kopgegevens 2025G69_33

KPC	KBN	KBS	KDT	KDB	KWO	KL	KBT	KED	KGW	KXC	KYC	KPL	KCS	KMV	KPZ	KRV	KBM	KPV	KGM	KUV	KOM
2025G69	33	CD	16-07-2025	LB	H	GR	H	30		46693.568	173665.708	3	31370	23.74	3	TAW	MDGP	BWV	Ieper	BAAC Vlaanderen	3 maal gestuit op puinlaag

Laaggegevens 2025G69_33

GBG	GAB	GOG	GAO	GRM	GBT	GKL	GKM	GVO	LTK	LZT	LZS	BBB	LSL1	LSL2	LVS	LLI	BBH	BBI	LTB	LGK	LGB	LBH	LPR	LBG	LSR	LCA	BFM	BOR	BBR	BBV	AHK	ARL	AAW	AOB	AVB	AVS	APA	APO	AFO	AOV1	AOV2	AOV3	AAI	LOM	
0		30			E7	ORGR		D	L	ZZ	SMK					Ap	XX								1												3								

Boring 2025G69_35

Kopgegevens 2025G69_35

KPC	KBN	KBS	KDT	KDB	KWO	KLK	KBT	KED	KGW	KXC	KYC	KPL	KCS	KMV	KPZ	KRV	KBM	KPV	KGM	KUV	KOM
2025G69	35	AA	16-07-2025	LB	Z	GR	H	200		46691.833	173791.113	3	31370	23.55	3	TAW	MDGP	BWV	Ieper	BAAC	Vlaanderen

Laaggegevens 2025G69_35

[illegible]