

VONDSTNR	PUTNR	VLAKNR	SPOORN	VULLINGNR	INHOUD	VERZAMEL	X	Y	Z	OPMERKING
1	2	0	1000	1	MXX	DETC	46067,09	211882,22	3,61	
2	2	0	1000	1	MXX	DETC	46073,16	211896,24	3,54	
3	2	1	2	1	BOUWMAT	AANV	46050,35	211864,94	3,23	
4	2	1	3	1	MXX	DETC	46063,73	211880,83	3,13	
5	2	2	3	1	MXX	AFW	46074,38	211871,87	2,61	
6	2	2	3	1	MXX	AFW	46074,63	211871,89	2,63	
8	6	1	22	1	MXX	DETC	46039,92	211819,18	3,31	
9	6	1	16	1	MXX	DETC	46055,62	211835	3,26	
10	6	1	26	1	MXX	DETC	46044,45	211814,08	3,24	
12	6	1	16	1	MXX	COUP	46062,03	211827,52	2,73	COUPE E-F
13	6	1	16	1	MXX	COUP	46048,02	211825,24	2,97	ZILVERPAPIER (coupe S-T)
16	6	1	23	1	MXX	AFW	46047,01	211817,74	3,16	
17	6	1	22	1	MXX	AFW	46039,83	211819,77	3,02	
18	5	1	28	1	AWG	AANV	46026,59	211844,99	3,17	
19	5	1	28	1	MXX	AANV	46029,4	211844,93	3,09	
20	5	1	15	1	BOUWMAT	AANV	46046,1	211837,85	3,36	
21	7	1	36	1	AWG	AANV	45857,28	211889,43	3,22	
22	7	1	30	1	AWG	AANV	45838,54	211919,56	3,17	
23	7	1	30	1	AWG	AANV	45845,86	211920,27	3,16	
24	7	1	61	1	AWG	AANV	45846,19	211917,93	3,18	
25	7	1	58	2	AWG	AANV	45847,25	211914,85	3,14	
26	7	1	58	2	AWG	AANV	45845,28	211913,04	3,17	
27	7	1	58	2	AWG	AANV	45844,29	211912,58	3,17	
28	7	1	57	1	AWG	AANV	45847,74	211903,85	3,19	
29	7	1	53	1	AWG	AANV	45855,89	211903,36	3,15	
30	7	1	53	1	AWG	AANV	45855,44	211903,15	3,14	
31	7	1	53	1	AWG	AANV	45854,11	211901,77	3,16	
32	7	1	55	1	AWG	AANV	45855,63	211900,68	3,12	

VONDSTNR	PUTNR	VLAKNR	SPOORN	VULLINGNR	INHOUD	VERZAMEL	X	Y	Z	OPMERKING
33	7	1	31	1	AWG	AANV	45860,09	211890,44	3,26	
33	7	1	31	1	AWG	AANV	45860,09	211890,44	3,26	
34	7	1	38	1	AWG	AANV	45860,13	211886,26	3,23	
34	7	1	38	1	AWG	AANV	45860,13	211886,26	3,23	
35	7	1	38	1	MXX	AANV	45861,98	211889,76	3,24	
36	7	1	38	1	AWG	AANV	45863,53	211893,49	3,18	
37	7	1	63	1	AWG	AANV	45869,48	211888,81	3,18	
37	7	1	63	1	AWG	AANV	45869,48	211888,81	3,18	
37	7	1	63	1	AWG	AANV	45869,48	211888,81	3,18	
38	7	1	30	1	AWG	AANV	45840,03	211919,78	3,16	
39	7	1	58	2	AWG	AANV	45839,08	211914,49	3,22	
39	7	1	58	2	AWG	AANV	45839,08	211914,49	3,22	
40	7	1	51	1	AWG	AANV	45854,21	211907,28	3,13	
41	7	1	30	1	AWG	AANV	45849,47	211919,99	3,16	
42	7	1	61	1	AWG	AANV	45851,67	211916,07	3,07	
43	7	1	66	1	AWG	AANV	45867,23	211901,71	3,14	
43	7	1	66	1	AWG	AANV	45867,23	211901,71	3,14	
44	7	1	66	1	AWG	AANV	45855,78	211912,18	3,12	
44	7	1	66	1	AWG	AANV	45855,78	211912,18	3,12	
45	7	1	66	1	AWG	AANV	45857,84	211911,91	3,13	
46	7	1	66	1	AWG	AANV	45864,49	211906,2	3,15	
47	7	1	36	1	MXX	COUP	45857,68	211889,47	3,18	
48	7	1	36	1	BOUWMAT	COUP	45857,82	211889,1	3,19	
49	7	1	34	1	AWG	COUP	45854,54	211893,13	3,15	
50	7	1	62	1	AWG	AFW	45857,24	211892,88	3,25	
50	7	1	62	1	AWG	AFW	45857,24	211892,88	3,25	
51	7	1	62	1	ODB	AFW	45857	211892,84	3,25	9 zakken
52	7	1	63	1	AWG	AANV	45869,7	211888,84	3,17	
53	7	1	45	1	MXX	COUP	45850,32	211906,52	3,06	

VONDSTNR	PUTNR	VLAKNR	SPOORN	VULLINGNR	INHOUD	VERZAMEL	X	Y	Z	OPMERKING
53	7	1	45	1	MXX	COUP	45850,32	211906,52	3,06	
54	7	1	43	1	AWG	COUP	45847,82	211907,79	2,94	STG
55	7	1	43	1	AWG	COUP	45847,7	211906,71	3,04	
55	7	1	43	1	AWG	COUP	45847,7	211906,71	3,04	
56	7	2	43	1	ODB	COUP	45847,81	211907,8	3,05	2 zakken
57	7	1	43	1	BOUWMAT	COUP	45847,77	211907,31	3,09	
58	7	1	45	1	AWG	COUP	45850,13	211906,25	3,03	
59	7	1	45	1	ODB	COUP	45849,99	211906,05	2,97	
60	7	1	50	1	AWG	COUP	45853,64	211906,46	3,09	
61	7	1	31	1	MPB	DETC	45848,9	211900,46	3,15	
63	7	1	57	1	MXX	DETC	45849,06	211899,25	3,18	
64	7	1	38	1	MXX	DETC	45862,18	211889,69	3,19	
65	7	1	44	1	AWG	AANV	45849	211906,76	3,14	
66	7	1	68	1	ODB	COUP	45852,56	211902,87	3,06	
68	7	1	65	1	ODB	COUP	45872,22	211892,79	3,05	
69	7	1	63	1	AWG	COUP	45869,52	211888,87	3,04	
69	7	1	63	1	AWG	COUP	45869,52	211888,87	3,04	
69	7	1	63	1	AWG	COUP	45869,52	211888,87	3,04	
69	7	1	63	1	AWG	COUP	45869,52	211888,87	3,04	
72	7	1	45	2	AWG	AFW	45850,11	211906,18	2,8	
72	7	1	45	2	AWG	AFW	45850,11	211906,18	2,8	
73	7	1	49	1	AWG	COUP	45854,45	211902,69	3,09	
73	7	1	49	1	AWG	COUP	45854,45	211902,69	3,09	
73	7	1	49	1	AWG	COUP	45854,45	211902,69	3,09	
74	7	1	51	1	AWG	COUP	45854,27	211907,74	3,04	
75	7	1	45	2	AWG	AFW	45850,48	211906,55	2,89	boven skelet
75	7	1	45	2	AWG	AFW	45850,48	211906,55	2,89	boven skelet
76	7	2	45	1	ODB	AFW	45850,32	211906,27	2,75	
77	7	1	38	1	ODB	COUP	45855,84	211880,01	3,17	

VONDSTNR	PUTNR	VLAKNR	SPOORN	VULLINGNR	INHOUD	VERZAMEL	X	Y	Z	OPMERKING
78	7	1	39	1	AWG	COUP	45850,72	211883,22	3,1	
78	7	1	39	1	AWG	COUP	45850,72	211883,22	3,1	
79	7	1	38	1	AWG	AFW	45855,74	211880,56	3,14	
79	7	1	38	1	AWG	AFW	45855,74	211880,56	3,14	
80	7	1	38	1	BOUWMAT	AFW	45856,64	211880,27	3,17	
81	7	1	49	1	ODB	AFW	45855,01	211902,94	2,22	
81	7	1	49	1	ODB	AFW	45855,01	211902,94	2,22	
82	7	2	45	1	ODB	AFW	45849,98	211906,86	2,64	paard/ezel (6 zakken)
83	7	2	45	1	MXX	AFW	45849,78	211907,26	2,77	voorpoot links
84	7	2	45	1	MXX	AFW	45849,34	211907,15	2,84	achterpoot links
85	7	2	45	1	MXX	AFW	45849,27	211906,94	2,71	achterpoot rechts
87	7	1	33	1	AWG	COUP	45834,26	211896,21	2,97	
87	7	1	33	1	AWG	COUP	45834,26	211896,21	2,97	
90	7	1	50	1	AWG	COUP	45853,55	211906,66	2,77	
92	7	1	50	1	AWG	COUP	45853,75	211906,27	2,85	
93	7	1	66	1	AWG	COUP	45857,22	211911,4	3,05	
93	7	1	66	1	AWG	COUP	45857,22	211911,4	3,05	
94	7	2	43	1	ODB	AFW	45847,54	211907,06	2,01	botten skelet (3 zakken)
95	7	1	43	1	MXX	AFW	45846,87	211907,01	2,24	
97	7	1	51	1	MXX	AFW	45854,4	211907,4	0	
98	7	2	43	1	BOUWMAT	AFW	45847,19	211906,94	2,18	
99	7	1	61	1	AWG	AANV	45840,77	211916,89	3,16	
100	7	1	30	1	AWG	COUP	45845,95	211920,96	3,01	
100	7	1	30	1	AWG	COUP	45845,95	211920,96	3,01	
101	7	1	30	1	SXX	COUP	45846,02	211920,7	2,96	
102	7	1	30	1	ODB	COUP	45846,15	211920,39	2,91	
103	7	1	58	1	MXX	AANV	45840,52	211914,08	3,2	

VONDSTNR	PUTNR	VLAKNR	SPOORN	VULLINGNR	INHOUD	VERZAMEL	X	Y	Z	OPMERKING
104	7	1	30	1	AWG	COUP	45841,56	211918,43	2,2	
108	7	1	59	1	AWG	COUP	45837,41	211916,69	2,41	
109	7	1	58	1	AWG	COUP	45841,8	211913,88	2,5	
112	7	1	32	1	AWG	COUP	45838,05	211908,11	2,91	
114	7	1	57	1	ODB	COUP	45849,52	211901,14	2,44	
114	7	1	57	1	ODB	COUP	45849,52	211901,14	2,44	
115	7	1	40	1	BOUWMAT	AFW	45830,41	211901,01	3,18	
116	7	1	57	1	AWG	COUP	45849,45	211900,69	2,38	
117	7	1	59	1	AWG	AFW	45836,01	211901,78	2,72	
118	7	1	59	1	ODB	AFW	45835,8	211901,43	2,39	
119	7	1	32	1	AWG	AFW	45837,43	211906,3	2,8	
119	7	1	32	1	AWG	AFW	45837,43	211906,3	2,8	
120	7	1	59	1	AWG	AFW	45837,29	211905,78	2,58	
121	7	1	59	1	ODB	AFW	45837,34	211904,57	2,31	
122	7	1	66	1	AWG	AFW	45856,7	211912,22	2,57	
123	7	1	66	1	AWG	AFW	45863,05	211906,4	2,49	
123	7	1	66	1	AWG	AFW	45863,05	211906,4	2,49	
123	7	1	66	1	AWG	AFW	45863,05	211906,4	2,49	
124	7	1	66	1	BOUWMAT	AFW	45864,58	211904,17	2,43	
125	8	1	82	1	AWG	AANV	45858,45	211921,6	3,25	
126	8	1	80	1	AWG	AANV	45855,98	211921,7	3,32	
126	8	1	80	1	AWG	AANV	45855,98	211921,7	3,32	
127	8	1	79	1	MXX	AANV	45858,91	211929,12	3,14	
128	8	1	79	1	MXX	AANV	45857,79	211929,08	3,21	
128	8	1	79	1	MXX	AANV	45857,79	211929,08	3,21	
129	8	1	83	1	AWG	AANV	45856,89	211923,35	3,21	
140	8	1	80	1	ZF10	BUXL	45854,93	211922,21	3,07	KW AC
158	8	1	81	1	ODB	COUP	45854,4	211923,77	2,99	
159	8	1	81	1	AWG	COUP	45855,23	211923,76	2,9	

VONDSTNR	PUTNR	VLAKNR	SPOORN	VULLINGNR	INHOUD	VERZAMEL	X	Y	Z	OPMERKING
159	8	1	81	1	AWG	COUP	45855,23	211923,76	2,9	
160	8	1	83	1	AWG	AANV	45855,43	211922,57	3,22	
160	8	1	83	1	AWG	AANV	45855,43	211922,57	3,22	
165	8	1	82	1	AWG	COUP	45859,02	211920,69	3,19	
165	8	1	82	1	AWG	COUP	45859,02	211920,69	3,19	
165	8	1	82	1	AWG	COUP	45859,02	211920,69	3,19	
166	8	1	82	1	ODB	COUP	45858,96	211920,97	3,17	
169	7	1	30	1	AWG	AANV	45831,94	211894,94	3,06	
170	8	1	81	1	ODB	COUP	45854,89	211923,9	2,88	7 ZAKKEN
171	8	1	82	1	AWG	COUP	45859,07	211921,77	2,86	
172	7	1	86	1	ODB	COUP	45824,95	211904,6	2,93	
173	8	1	78	1	AWG	COUP	45892,73	211914,85	2,81	
174	8	1	90	1	AWG	COUP	45857,49	211917,64	3,08	
175	8	1	84	1	AWG	COUP	45861,57	211912,3	2,94	
176	7	1	86	1	ODB	COUP	45824,89	211904,7	2,81	4 zakken
178	7	1	49	1	AWG	COUP				
179	8	1	80	1	ODB	BUXL				(uit MVON)
180	8	1	80	1	AWG	BUXL				(uit MVON)
180	8	1	80	1	AWG	BUXL				(uit MVON)
180	8	1	80	1	AWG	BUXL				(uit MVON)
181	8	1	80	1	BOUWMAT	BUXL				(uit MVON)
182	8	1	80	1	HK	BUXL				(uit MVON)
183	8	1	80	1	ODS	BUXL				(uit MVON)