



UPPSALA
UNIVERSITET

Ångström Laboratory
Tandem Laboratory

Radiocarbon group

Visiting address:
Ångström Laboratory
Lägerhyddsvägen 1

Postal address:
Box 529
SE-751 20 Uppsala
Sweden

Telephone:
+46 18 – 471 31 24

Telefax:
+46 18 – 55 57 36

Website:
<http://www.tandemlab.uu.se>

E-mail:
radiocarbon@physics.uu.se

Uppsala 2019-11-18

Wouter van der Meer
BIAX Consult Biological Archaeology &
Landscape Reconstruction
Symon Spiersweh 7 D2
NL-1506 RZ ZAANDAM
The Netherlands

Result of ^{14}C dating of macrofossil from Gent, Oost-Vlaanderen, Belgium. (p 2510)

Pre-treatment of macrofossil samples:

1. 1 % HCl is added (8-10 hours, just below the boiling point) (carbonates are removed).
2. 0.5 % NaOH is added (1 hour, 60 °C). The soluble part is precipitated by addition of concentrated HCl. The precipitate, which mainly consists of humus material, is washed, dried and referred to as fraction SOL. The insoluble fraction, referred to as INS, is mainly consisting of the original organic material, and should therefore provide the most reliable age. Influence of contaminants could be obtained from the SOL fraction.

Prior to the accelerator determination of the ^{14}C -content, the washed and dried material, acidulated to pH 4, is combusted to CO_2 which is graphitised using a Fe-catalyst reaction. In the present investigation fraction INS has been dated.

RESULT

Labnumber	Sample	$\delta^{13}\text{C}\text{‰ V-PDB}$	^{14}C age BP
Ua-64044	GENOS_S1399_V61_25-27cm	-29,7	852 ± 30

Best regards

Karl Håkansson / Lars Beckel

