

Jeroen Verrijckt
Lange Kwikstraat 29
2340 Beerse

4/3/2022

RADIOCARBON DATING REPORT

WESO

RICH-30979 (WESO-2021 M2) : 2241±24BP 68.2% probability 380BC (20.0%) 350BC 290BC (48.2%) 210BC 95.4% probability 390BC (26.0%) 340BC 320BC (69.4%) 200BC RICH-30980 (WESO-2021 M4) : 2078±24BP 68.2% probability 150BC (7.8%) 130BC 120BC (60.4%) 40BC 95.4% probability 170BC (91.7%) 30BC 10BC (3.7%) 10AD RICH-30981 (WESO-2021 M10) : 2438±24BP 68.2% probability 730BC (10.7%) 700BC 670BC (5.5%) 650BC 550BC (42.2%) 450BC 440BC (9.7%) 410BC 95.4% probability 750BC (21.1%) 680BC 670BC (8.8%) 630BC 570BC (65.5%) 400BC RICH-30983 (WESO-2021 M9) : 2186±27BP 68.2% probability 360BC (45.1%) 280BC 230BC (23.1%) 170BC 95.4% probability 370BC (95.4%) 160BC	RICH-31090 (WESO-2021 M5) : 5478±27BP 68.2% probability 4355BC (53.9%) 4325BC 4285BC (14.3%) 4270BC 95.4% probability 4370BC (63.6%) 4310BC 4300BC (31.8%) 4250BC RICH-31091 (WESO-2021 M6) : 239±22BP 68.2% probability 1640AD (47.3%) 1670AD 1780AD (20.9%) 1800AD 95.4% probability 1630AD (55.5%) 1680AD 1760AD (29.6%) 1800AD 1940AD (10.3%) 1955AD RICH-30982 (WESO-2021 M8) : 3496±31BP 68.2% probability 1890BC (68.2%) 1760BC 95.4% probability 1900BC (93.3%) 1730BC 1720BC (2.1%) 1690BC
--	--

Haacht

RICH-30949 (M1_S217) : 1935±26BP 68.2% probability 30AD (6.0%) 45AD 60AD (62.2%) 130AD 95.4% probability 20AD (95.4%) 210AD RICH-30950 (M2_S1) : 1998±25BP 68.2% probability 40BC (25.3%) 10BC AD (26.9%) 30AD 40AD (16.0%) 60AD 95.4% probability 50BC (93.3%) 80AD 90AD (2.1%) 110AD RICH-30189 (M13 charcoal) : 1890±25BP 68.2% probability 120AD (68.2%) 205AD 95.4% probability 80AD (95.4%) 230AD	RICH-30951 (M3_S351) : 2163±26BP 68.2% probability 350BC (31.6%) 300BC 210BC (36.6%) 150BC 95.4% probability 360BC (40.6%) 280BC 260BC (54.8%) 100BC RICH-30954 (M6_S340) : 1840±24BP 68.2% probability 130AD (1.3%) 140AD 160AD (14.4%) 190AD 200AD (52.5%) 250AD 95.4% probability 120AD (95.4%) 250AD
--	---

Hechtel

RICH-30955 (M14_S133) : 1155±25BP

68.2% probability

770AD (6.5%) 790AD

830AD (9.6%) 850AD

870AD (20.3%) 900AD

910AD (31.8%) 980AD

95.4% probability

770AD (8.5%) 790AD

820AD (86.9%) 980AD

RICH-30957 (M15_S162) : 986±24BP

68.2% probability

1020AD (32.6%) 1050AD

1080AD (31.1%) 1130AD

1140AD (4.4%) 1150AD

95.4% probability

990AD (41.2%) 1060AD

1070AD (54.2%) 1160AD

RICH-30958 (M19_S201) : 1107±25BP

68.2% probability

895AD (28.3%) 925AD

950AD (39.9%) 990AD

95.4% probability

880AD (95.4%) 1000AD

RICH-30956 (M16_S167) : 1078±27BP

68.2% probability

890AD (21.0%) 920AD

950AD (47.2%) 1020AD

95.4% probability

890AD (28.3%) 930AD

940AD (67.1%) 1030AD

Ham

RICH-30959 (M1_S2019) : 1953±25BP

68.2% probability

25AD (17.1%) 50AD

55AD (28.1%) 85AD

90AD (23.1%) 120AD

95.4% probability

40BC (3.2%) 10BC

AD (92.2%) 130AD

NIJN

RICH-30986 (2021_M5) : 1888±26BP

68.2% probability

125AD (68.2%) 205AD

95.4% probability

80AD (95.4%) 230AD

RICH-30987 (2021_M11) : 780±26BP

68.2% probability

1225AD (30.6%) 1245AD

1250AD (37.6%) 1275AD

95.4% probability

1220AD (95.4%) 1280AD

BAM021

RICH-30989 (M12) : 3345±27BP

68.2% probability

1680BC (10.2%) 1650BC

1640BC (58.0%) 1540BC

95.4% probability

1740BC (3.4%) 1710BC

1690BC (92.0%) 1530BC

RICH-30988 (BAMO21-M8) : 2111±25BP

68.2% probability

170BC (57.5%) 90BC

80BC (10.7%) 50BC

95.4% probability

200BC (95.4%) 40BC

Met vriendelijke groeten,
Mathieu Boudin



Mathieu.boudin@kikirpa.be