



Jan De Beenhouwer

Fodio

Turnhoutsebaan 277

2110 Wijnegem

Belgium

Date 13/11/2025

2013.12113

RADIOCARBON DATING REPORT

Lanaken Windturbineweg

RICH-37915 (sa3004) : 5439±38BP

68.2% probability

4340BC (23.4%) 4315BC

4300BC (44.8%) 4250BC

95.4% probability

4360BC (93.1%) 4230BC

4190BC (2.3%) 4170BC

RICH-37919 (sa2001) : 3189±27BP

68.2% probability

1500BC (32.4%) 1470BC

1465BC (35.8%) 1430BC

95.4% probability

1505BC (95.4%) 1415BC

RICH-37920 (sa24015) : 2809±27BP

68.2% probability

1000BC (68.2%) 925BC

95.4% probability

1050BC (95.4%) 890BC

RICH-37921 (sa8005) : 1910±24BP

68.2% probability

80AD (57.0%) 170AD

180AD (11.2%) 210AD

95.4% probability

60AD (95.4%) 220AD

RICH-37922 (sa9002) : 1894±25BP

68.2% probability

120AD (68.2%) 205AD

95.4% probability

70AD (95.4%) 220AD

RICH-37924 (sa9004) : 1990±25BP

68.2% probability

35BC (16.0%) 10BC

5AD (52.2%) 65AD

95.4% probability

50BC (95.4%) 120AD

RICH-37931 (sa6004) : 3260±27BP

68.2% probability

1600BC (4.1%) 1590BC

1550BC (57.1%) 1490BC

1480BC (7.0%) 1460BC

95.4% probability

1620BC (95.4%) 1450BC

RICH-38216 (sa14003) : 1935±21BP

68.2% probability

60AD (68.2%) 125AD

95.4% probability

20AD (93.1%) 170AD

180AD (2.3%) 210AD

RICH-38217 (sa14008) : 4150±24BP

68.2% probability

2870BC (13.4%) 2830BC

2820BC (6.2%) 2800BC

2780BC (48.6%) 2660BC

95.4% probability

2880BC (95.4%) 2620BC

RICH-37927 (sa11008) : 2061±26BP

68.2% probability

110BC (56.0%) 30BC

20BC (12.2%) 10AD

95.4% probability

160BC (95.4%) 10AD

RICH-37928 (sa12003) : 1862±22BP

68.2% probability

125AD (11.4%) 145AD

155AD (56.8%) 220AD

95.4% probability

120AD (95.4%) 240AD

RICH-37929 (sa13001) : 2008±23BP

68.2% probability

45BC (68.2%) 25AD

95.4% probability

50BC (95.4%) 80AD

RICH-37930 (sa13002) : 2031±22BP

68.2% probability

50BC (68.2%) 10AD

95.4% probability

100BC (6.4%) 70BC

60BC (85.5%) 30AD

40AD (3.5%) 60AD

RICH-37932 (sa18013) : 1748±25BP

68.2% probability

245AD (12.6%) 265AD

270AD (19.7%) 295AD

305AD (35.9%) 350AD

95.4% probability

240AD (95.4%) 390AD

RICH-37933 (sa6006) : 4728±30BP

68.2% probability

3630BC (24.8%) 3580BC

3540BC (15.5%) 3500BC

3430BC (27.8%) 3380BC

95.4% probability

3630BC (36.7%) 3550BC

3540BC (22.2%) 3490BC

3460BC (36.4%) 3370BC

RICH-37934 (sa9003) : 2195±27BP

68.2% probability

360BC (46.3%) 280BC

240BC (21.9%) 190BC

95.4% probability

370BC (95.4%) 170BC

RICH-38218 (sa14011) : 1884±23BP

68.2% probability

125AD (68.2%) 205AD

95.4% probability

80AD (3.4%) 100AD

110AD (92.0%) 230AD

RICH-38219 (sa15020) : 234±22BP

68.2% probability

1640AD (42.9%) 1670AD

1780AD (25.3%) 1800AD

95.4% probability

1630AD (48.7%) 1680AD

1740AD (33.9%) 1800AD

1940AD (12.8%) 1950AD

RICH-38220 (sa16012) : 1700±23BP

68.2% probability

260AD (7.4%) 280AD

340AD (60.8%) 410AD

95.4% probability

250AD (17.4%) 280AD

330AD (78.0%) 420AD

RICH-38221 (sa16013) : 2129±23BP

68.2% probability

200BC (67.3%) 100BC

70BC (0.9%) 60BC

95.4% probability

350BC (7.8%) 320BC

210BC (87.6%) 50BC

RICH-37925 (sa10001) : 1954±23BP

68.2% probability

25AD (17.7%) 50AD

55AD (28.2%) 85AD

90AD (22.2%) 120AD

95.4% probability

30BC (2.0%) 10BC

AD (93.4%) 130AD

RICH-37926 (sa10005) : 2030±23BP

68.2% probability

50BC (68.2%) 10AD

95.4% probability

100BC (6.4%) 70BC

60BC (89.0%) 70AD

RICH-38222 (sa16019) : 1979±23BP

68.2% probability

5AD (68.2%) 80AD

95.4% probability

40BC (95.4%) 120AD

RICH-38223 (sa16025) : 2200±25BP

68.2% probability

360BC (42.6%) 270BC

260BC (25.6%) 190BC

95.4% probability

370BC (95.4%) 170BC

RICH-38224 (sa17008) : 2084±27BP

68.2% probability

150BC (11.2%) 130BC

120BC (57.0%) 40BC

95.4% probability

180BC (92.4%) 30BC

20BC (3.0%) 10AD

RICH-38225 (sa20003) : 1797±26BP

68.2% probability

230AD (28.4%) 255AD

285AD (39.8%) 325AD

95.4% probability

200AD (43.7%) 260AD

270AD (51.7%) 340AD

RICH-38226 (sa20005) : 2051±23BP

68.2% probability

100BC (20.8%) 70BC

60BC (25.4%) 30BC

20BC (22.0%) 10AD

95.4% probability

150BC (3.5%) 130BC

120BC (91.9%) 30AD

RICH-38227 (sa21017) : 1629±22BP

68.2% probability

410AD (36.2%) 440AD

460AD (10.0%) 480AD

490AD (22.0%) 530AD

95.4% probability

400AD (95.4%) 540AD

RICH-38228 (sa23002) : 298±24BP

68.2% probability

1520AD (51.2%) 1580AD

1620AD (17.0%) 1650AD

95.4% probability

1500AD (69.4%) 1600AD

1610AD (26.0%) 1660AD

RICH-38229 (sa25010) : 1739±21BP

68.2% probability

250AD (30.5%) 290AD

310AD (37.7%) 370AD

95.4% probability

240AD (95.4%) 410AD

RICH-38230 (sa25015) : 2192±21BP

68.2% probability

360BC (46.6%) 280BC

230BC (21.6%) 190BC

95.4% probability

360BC (95.4%) 170BC

RICH-38231 (sa25020) : 1798±23BP

68.2% probability

230AD (30.2%) 255AD

285AD (38.0%) 320AD

95.4% probability

210AD (45.3%) 260AD

270AD (50.1%) 340AD

RICH-38232 (sa24005) : 2247±25BP

68.2% probability

390BC (24.4%) 350BC

290BC (43.8%) 220BC

95.4% probability

390BC (29.7%) 340BC

320BC (65.7%) 200BC

References

- Wojcieszak M, Van den Brande T, Ligovich G, Boudin M. July 2020. Pretreatment protocols performed at the Royal Institute for Cultural Heritage (RICH) prior to AMS ^{14}C measurements. Radiocarbon 62(5):1-11.
- Boudin M, Van Strydonck M, van den Brande T, Synal H-A, Wacker L. 2015. RICH –A new AMS facility at the Royal Institute for Cultural Heritage, Brussels, Belgium. Nuclear Instruments and Methods in Physics Research Section B: Beam. Interactions with Materials and Atoms 361:120–123.
- Boudin M, Bonafini M, Van den Brande T, Van Strydonck M. 2016-2018. *AGE: a new graphitisation apparatus for the ^{14}C -dating laboratory*. Bulletin IRPA 35.

Met vriendelijke groeten,

Mathieu Boudin,



Gaia Ligovich



Contact

Dr. Boudin Mathieu

Radiocarbon Dating Laboratory

Jubelpark 1, Parc du Cinquantenaire BE-1000 Brussels

T. +32 (0) 2 739 67 02

mathieu.boudin@kikirpa.be