



UPPSALA
UNIVERSITET

Ångström laboratory
Tandem laboratory

Göran Possnert

Visiting address:
Ångström laboratory
Lägerhyddsvägen 1
Room 4143

Postal address:
Box 529
SE-751 20 Uppsala
Sweden

Telephone:
+46 18 – 471 30 59

Telefax:
+46 18 – 55 57 36

Website:
<http://www.tandemlab.uu.se>

E-mail:
Goran.Possnert@physics.uu.se

Uppsala 2019-04-03

R. G. van Mousch
BAAC bv
Graaf van Solmsweg 103
NL-5222 BS 'S-HERTOGENBOSCH
The Netherlands

Result of ^{14}C dating of macrofossil from Bierbeek, Vlaams Brabant, Belgium. (p 2182)

Pre-treatment of macrofossil samples:

1. 1 % HCl is added (8-10 hours, just below the boiling point) (carbonates are removed).
2. 0.5 % NaOH is added (1 hour, 60 °C). The soluble part is precipitated by addition of concentrated HCl. The precipitate, which mainly consists of humus material, is washed, dried and referred to as fraction SOL. The insoluble fraction, referred to as INS, is mainly consisting of the original organic material, and should therefore provide the most reliable age. Influence of contaminants could be obtained from the SOL fraction.

Prior to the accelerator determination of the ^{14}C -content, the washed and dried material, acidulated to pH 4, is combusted to CO_2 which is graphitised using a Fe-catalyst reaction. In the present investigation fraction INS has been dated.

RESULT

Labnumber	Sample	$\delta^{13}\text{C}\text{\%o}$ V-PDB	^{14}C age BP
Ua-61567	A-18.0027_053	-23,1	$1\ 142 \pm 28$
Ua-61568	A-18.0027_065	-21,1	$1\ 097 \pm 28$
Ua-61569	A-18.0027_128	-22,6	997 ± 28
Ua-61570	A-18.0027_143	-24,5	$1\ 092 \pm 28$
Ua-61571	A-18.0027_148	-24,1	$1\ 065 \pm 28$

Best regards

Göran Possnert / Lars Beckel

Atmospheric data from Reimer et al (2013); OxCal v3.10 Bronk Ramsey (2005); cub r:5 sd:12 prob usp[chron]







